



Film Handling Equipment Catalog



Hollywood Film Company
9265 Borden Ave, Sun Valley, California 91352
Phone : (818) 683-1130 Fax : (818) 683-1139
E-Mail : Sales@HollywoodFilmCo.com
Web Page : HollywoodFilmCo.com

Table of Contents

The HFC Editing Suite	Page 1
HFC Work Station Packages	Page 2
Editing and Inspection Tables	Page 3
Light Boxes, Table Racks, Lamps	Page 4
Hand & Power Rewinds	Page 5
Specialized Rewinds and Tightwinds	Page 6
Shafts, Core Adapters, Gimmicks	Page 7
Aluminum Split Reels	Page 8
Micarta Flanges	Page 9
Film Bins, Vault Cans & Racks, Angle Iron Racks	Page 10
Cases, Cores, and Reels	Page 11
Synchronizers	Page 12
Combination Synchronizers	Page 13
Film Racks and Separators	Page 14
"HFC 2K" Ultrasonic Splicer	Page 15
Unicorn Splicer, Cutter, & Tape	Page 16
HFC Tape Splicer & Tape	Page 17
Guillotine Splicer, Repair Splicer & Tape	Page 18
HFC Hot Splicer & Accessories	Page 19
MPST Densitometer	Page 20
HFC Sensitometer	Page 21
HFC Film Services	Back Page

HFC Editing Suite

Complete Package



Editing Table with LightBox and Drawer included; ETBRD-1

part number 003121-000 (24"x60"x31")

details:

see page 3

Table Rack with 4 tiers; 5"Dx57"Wx32"H; TR-1

part number 004444-001

see page 4

Table Lamp with 'A' clamp and florescent bulb; FL-1

part number 003055-000

see page 4

Hand Rewind with Friction/Drag Control; REF

part number 003000-002

see page 5

35mm 1-reel Shaft ; R-1

part number 000054-000

see page 7

Power Rewind with 35mm 1-reel shaft and foot pedal switch included; PR1-F

part number 000001-000; shaft facing operator shown

see page 5

16/35/8mm Combination Tightwind (shown mounted on PR1-F); TWC-1

part number 001681-002

see page 6

Synchronizer 35mm 1-way with standard foot counter

part number 002430-000

see page 12

Hot Splicer 16mm/35mm for A&B; domestic; FSC-1A

part number 001525-000

see page 19

Package if purchased as a unit with no substitutions.

PACKAGE NUMBER 003190-000

HFC Workstation Packages

Inspection Station (basic)

003130-000 ITBR-1	Inspection Table (no cutout, no lightbox, no drawer) 24"x60"x31" dimensions
004444-002 TR-21	Table Rack, 2-tier, 57" for 60" table.
003000-002 REF	Hand Rewind; friction/drag control
000054-000 R-1	Rewind shaft, 35mm, 1-reel
001681-002 TWC-1	Tightwind 16/35/8mm comb.

Package if purchased as a unit, save 10%...

No changes, no substitutions!
Package number 003187-000

Negative Station (basic)

003120-000 ETBR-1	Editing Table, w/ light box 24"x60"x31" dimensions
004444-001 TR-1	Table Rack, 4-tier 57" for 60" table
000061-004 NRUF-2L	Negative Rewind, knee action, w/ friction drag, 2000'
002430-000	1-way sync, 35mm. w/ std. foot counter

Price of package if purchased as a unit, save 10%...

No changes, no substitutions!
Package number 003188-000

Editing Station (basic)

003121-000 ETBRD-1	Editing Table, w/ light box and drawer 24"x60"x31" dimensions
003000-002 REF	Hand Rewind; friction/drag control
001681-002 TWC-1	Tightwind 16/35/8mm comb.
004444-001 TR-1	Table Rack, 4-tier, 57" for 60" table.
000054-000 R-1	Rewind Shaft 35mm, 1-reel
000057-000 R-4	Rewind Shaft 35mm, 4-reel
003645-000 ENSH-1	Hinged end support (for 4-reel shaft)

Price of package if purchased as a unit, save 10%...

No changes, no substitutions!
Package number 003189-000

Alternate packages on request!

All additions to packages are at list price.

Editing and Inspection Tables

TABLES, EDITING

003120-000 ETBR-1, 24" x 60" x 31" w/light box
003121-000 ETBRD-1, 24" x 60" x 31" w/light box and drawer
003122-000 ETBR-28, 28" x 60" x 31" w/light box
003123-000 ETBRD-28, 28" x 60" x 31" w/light box and drawer
003125-000 ETBR-728, 28" x 72" x 31" w/light box
003124-000 ETBRD-72 w/light box and drawer

TABLES, INSPECTION (NO CUTOUT, NO LIGHT BOX)

003130-000 ITBR-1, 24" x 60" x 31"
003132-000 ITBRD-1, 24" x 60" x 31" w/drawer
003131-000 ITBRD-28, 28" x 60" x 31"
003133-000 ITBRD-28, 28" x 60" x 31" w/drawer
003134-000 ITBR-728, 28" x 72" x 31"
003135-000 ITBRD-728, 28" x 72" x 31" w/drawer

34" high frames available



EDITING TABLE w/ DRAWER (ETBRD-1)
003121-000

Lights, Racks, Etc.

Drawer

003151-000 D-1 Drawer

LIGHT BOXES

003140-000 Glass - plexi glass for light well (¼" x 9" x 12 9/16")

003665-000 Lightwell Assy without glass (14 ½" x 12 3/4" x 4 1/8")

TABLE RACKS

004444-001 TR-1, 4-tier 57" for 60" width table 5"D x 57"W x 32"H

004444-002 TR-21, 2-tier 57" for 60" width table 5"D x 57"W x 16"H

004444-003 TR-72, 4-tier 70" 70" for 72" width table 5"D x 70"W x 32"H

003103-000 TR-722, 2-tier 72" 57" for 60" width table 5"D x 70"W x 32"H

CORE DISPENSER

	Diameter			Length
004439-001	2"	CD	16MM	24"
004439-002	2"	CD	16MM	36"
004439-003	3"	CD	16MM	24"
004439-004	3"	CD	16MM	36"
004439-005	2"	CD	35MM	24"
004439-006	2"	CD	35MM	36"
004439-007	3"	CD	35MM	24"
004439-008	3"	CD	35MM	36"
004439-009	3"	CD	70MM	24"
004439-010	3"	CD	70MM	36"
004439-011	4"	CD	70MM	24"
004439-012	4"	CD	70MM	36"

LAMPS

LA0125-000 LFM-1 with 'A' Clamp

(Magnifier and florescent tube lamp)

003055-000 FL-1 with 'A' Clamp

(Florescent lamp)

003056-000 LC-1 with 'A' Clamp

(Combination florescent & incandescent lamp)



LIGHT BOX (LB-1)

003665-000



TABLE RACKS (TR-1)

00444-001 *4-TIER

004444-002 *2-TIER



CORE DISPENSER (CD-1)

004439-008 *3" 35MM

004439-011 *4" 35MM

Hand and Power Rewinds

REWINDS, HAND		Equipment
003000-001	RE	Standard Model
003000-002	REF	w/Friction / Drag Control
003000-003	REL	Elbow Brake - Quick Stopping w/ friction
003000-004	(2 to 1)	Hand Rewind (2 to 1) (no friction)
REWIND PARTS & ACCESSORIES		Accessories
003012-001	Replacement	Maintenance Kit for REF; consisting of: (2) Friction Drag Linings, (1) Friction Drag Spring, (1) Friction Drag Ball
003013-000		Friction Drag Lining
003014-000		Friction Drag Spring
003015-000		Friction Drag Adjusting Knob
BA0004-000		Ball 5/16 Chrome Steel
003021-000		RE Handle Wood Birch (new)
003022-000		Handle Washer
003023-000		Handle Shaft
003024-000		Handle Hex Nut 5/16-18
REWINDS, POWER		Equipment
000001-000	PR1-A, shaft operating away with either #53 or #54 shaft, and heavy duty foot switch	
000001-000	PR1-F, same as above, facing operator	
	Model Options:	
000001-001	PR1 with 200v, 50 Hz	
000001-003	Power Rewind, with revise switch	
REWINDS, POWER ACCESSORIES		Accessories
SW0267	Foot pedal switch for Power Rewind	
REWINDS, POWER, LOADER for 3M Cartridge Accessories		
004710-001	Microfilm Cartridge loader, Rewind mounted on left side	
004710-002	Microfilm Cartridge loader, Rewind mounted on right side	
004750-000	Magnetic Hub Assembly (shaft)	
REWINDS, ACCESSORY BASES		Accessories
000142-000	Base Extension for Hand Rewind	
000142-001	Base Extension for Power Rewind	
000077-000	SB-1 Swivel Bases for Hand Rewind	



REWIND w/ FRICTION (REF)
003000-002



REWIND w/ ELBOW BRAKE (REL)
003000-003



POWER REWIND w/ 16/35 TIGHTWIND (PR1)
000001-000
w/001681-002



HEAVY DUTY FOOT CONTROL
SW0267

Specialty Rewinds and Tightwinds

REWINDS, NEGATIVE, KNEE ACTION				Equipment
000061-001	NRU-2	1000'	8/16/35mm	
000061-002	NRU-2L	2000'	8/16/35mm	
000061-003	NRUF-2	1000'	8/16/35mm	
000061-004	NRUF-2L	2000'	8/16/35 w/Friction Drag	
000061-005	NRU-3	3000'	8/16/35mm	
000061-006	NRUF-3	3000'	8/16/35 w/Friction Drag	
000061-007	NRU-2	1000'	35/65/70	
000061-008	NRUF-2	1000'	35/65/70 w/Friction Drag	
000061-009	NRU-2L	2000'	35/65/70	
000061-010	NRUF-2L	2000'	35/65/70 w/Friction Drag	

REWINDS, NEGATIVE BREAKDOWN				Equipment
-----------------------------	--	--	--	-----------

001520-000	NBR-1	16/35 breakdown rewind	
------------	-------	------------------------	--

TIGHTWINDS				Accessories
------------	--	--	--	-------------

001681-001	TW-16-16MM only		
001681-002	TWC-1 16/35/8MM comb.		
001681-003	TWC-1 16/35/70MM		
001681-004	TWC-1 35/70MM		
001681-005	TWC-1 65MM		
001681-006	TWC-1 70MM		
001681-008	TWC-1 35/65MM		
001681-009	TWC-1 105MM		
001681-010	TWC-1 35/S16MM		
000069-000	TWC-2 Elbow tightwind 16/35MM		



NEGATIVE REWIND UNIT (NRU)
000061-001



NEGATIVE BREAKDOWN REWIND (NBR-1)
001520-000



TIGHTWIND 16/35 (TWC-1)
(top) 001681-002
(bottom) 001681-001



ELBOW TIGHTWIND (TWC-2)
000069-000
Mounted on (RE) 003000-001

Shafts, Core Adapters, and Gimmicks

SHAFTS, HAND AND POWER REWINDS Accessories

001463-000 R-8, regular 8MM
 001551-000 RS-8, super 8MM
 000053-000 R-16, 16MM 1-reel
 000054-000 R-1, 35MM 1-reel 1 5/8" Long
 000055-000 R-2, 2-reel 16 or 35MM 8 3/8" Long x 5/16" Dia
 000056-000 R-3, 3-reel 16 or 35MM 10 1/2" Long x 5/16" Dia
 000057-000 R-4, 4-reel 16 or 35MM 12 5/16" Long x 5/16" Dia
 001500-000 R-70, 5/16" dia. for 1-70MM reel 3/8"
 003239-000 70MM Finger Drive shaft 1/2" (theatrical)
 000654-000 R-70, 1/2" for 1-70MM reel
 000556-000 ENS-1 end support for #1475 RU shaft
 003645-000 ENSH-1 hinged end support
 001481-000 105MM shaft 1-reel
 000392-000 Spindle shaft (HFC Analyzer)
 004330-000 SL-1 Springlock Assy.
 001484-000 SP-1 Spacer
 000082-000 DG-1 Differential Gimmick

CORES, ALUMINUM, SHAFTS Accessories

000140-000 Aluminum Shaft Core 16MM
 000098-000 Aluminum Shaft Core Assy 35MM Round Shaft
 000098-001 Aluminum Shaft Core 35MM Square Shaft
 000614-001 ASC-70-5/16"
 000614-004 ASC-70-1/2"
 000614-003 ASC-105 Shaft Core

REWINDS, DIFFERENTIAL Equipment


001410-000 DF-31 (1-16MM & 1-35MM Reel)
 001521-002 DFG-4 (4 Reels with Gimmick & Spring Lock)
 (hinged support adapter & Spring Lock)

REWINDS, TORQUE MOTOR Accessories

001495-000 TMR-PT1, with powerstat double roller tightwind
 001496-000 TMRP, same except without tightwind
 TR0058 Step-down Transformer 220v 50 cycle

LEADER STANCHIONS Accessories

001462-000 LS-1



SPACERS (SP)
001484-000



SHAFTS, HAND AND POWER REWIND (R)
VARIETY OF SIZES AVAILABLE



ALUMINIUM SHAFT CORE (ASC)
VARIETY OF SIZES AVAILABLE



SPRING LOCK (SL-1)
004330-000



DIFFERENTIAL GIMMICK (DG-1)
000082-000



DIFFERENTIAL REWIND (DF-31)
001410-000



TORQUE MOTOR REWIND (TMR)
001495-000



LEADER STANCHION (LS-1)
001462-000

Aluminum Split Reels

SPLIT REELS 16MM - HFC - 5/16" Bore - Round Keyway

	CAPACITY	DIAMETER
000002-000 HFC	400'	7"
000003-000 HFC	800'	10 1/2"
000004-000 HFC	1200'	12"
000005-000 HFC	1600'	13 3/4"
000006-000 HFC	2000'	15"
000006-003 HFC	3000'	16 7/8"

SPLIT REELS 35MM - HFC - 5/16" Bore - Round Keyway

000002-003 5/16 SQ	400'	7"
000002-006 HFC	400'	7"
000003-003 HFC	800'	10 1/2"
000012-000 HFC	1000'	11 1/2"
000012-001 5/16 SQ	1000'	11 1/2"
000013-000 HFC	2000'	15"
000013-001 1/2" Theatrical	2000'	15"
000013-004 5/16 SQ	2000'	15"
000014-000 HFC	3000'	16 7/8"
000013-009 HFC	4000'	20 1/2"
000013-003 1/2 Bore	4000'	22"

SPLIT REELS 70MM - HFC - 5/16" Keyway

000002-012 HFC	400'	7"
000014-005 HFC	1000'	11 1/2"
000014-006 HFC	2000'	15"
000014-002 HFC	3000'	16 7/8"

SPLIT REELS 70MM - HFC - 1/2" Keyway

000002-013 HFC	400'	7"
000014-007 HFC	1000'	11 1/2"
000013-002 HFC	2000'	15"
000014-003 HFC	3000'	16 7/8"

SPLIT REELS 65MM - HFC - 5/16" Keyway

000013-006 HFC - RD	2000'	15"
000013-005 HFC - SQ	2000'	15"
000012-002 HFC - RD	1000'	11 1/2"
000012-003 HFC - SQ	1000'	11 1/2"

SPLIT REELS 105MM -HFC - 5/16" Keyway

	CAPACITY	DIAMETER
000002-009 HFC	400'	7"
000899-000 HFC	1000'	11 1/2"

SPLIT REELS, PHOTO FINISHING 6-5/8" DIA.

000892-000 SRA-126
000891-000 SRA-127
000890-000 SRA-120



HFC

Micarta Flanges

MICARTA FLANGES, SINGLE 5/16" Keyway

16MM

			CAPACITY	DIAMETER
000015-000	MF-46	SQ	400'	7"
000016-000	MF-86	SQ	800'	10 1/2"
000017-000	MF-126	SQ	1200'	12"
000019-000	MF-206	SQ	2000'	15"
000955-000	MF-306	SQ	3000'	16 7/8"

35MM

000025-000	MF-43	RD	400'	7"
000026-000	MF-13	5/16 RD	1000'	11 1/2"
000026-001	MF-13	5/16 SQ	1000'	11 1/2"
000027-000	MF-23	RD	2000'	15"
000028-000	MF-33	RD	3000'	16 7/8"
000033-000	SMF-43	Stripping Flange	400'	7"
000034-000	SMF-13	Stripping Flange	1000'	11 1/2"
000035-000	SMF-23	Stripping Flange	2000'	15"
000036-000	SMF-33	Stripping Flange	3000'	16 7/8"

MICARTA FLANGES, COMPANION 5/16" Keyway

16MM

000020-000	CMF-46	SQ	400'	7 "
000022-000	CMF-126	SQ	1200'	12"
000024-000	CMF-206	SQ	2000'	15"

35MM


000037-000	CMF-43	RD	400'	7"
000038-000	CMF-13	RD	1000'	11 1/2"
000039-000	CMF-23	RD	2000'	15"
000040-000	CMF-33	RD	3000'	16 7/8"

65/70MM

000026-002	Flange Micarta	RD	1000'	11 1/4
000027-001	Flange Micarta	RD	2000'	14 1/2

MICARTA FLANGE, FEMALE

000029-000	Flange Female Slot	FMF-43	400'	7"	Special
000030-000	Flange Female Slot	FMF-13	1000'	11 1/2"	Special
000031-000	Flange Female Slot	FMF-23	2000'	15"	Special
000032-000	Flange Female Slot	FMF-33	3000'	16 7/8"	Special



MICARTA FLANGES (MF)

Film Bins, Vault Cans and Racks, and Angle Iron Racks

BINS

003002-000	SFB 1 with liner (18 x 24)
003003-000	LFB-1 with liner (22 x 32)
003001-000	FBD-1 with liner (12 x 24 w/double rows of hooks or 4 sets of hooks)
003004-000	FBD-2 with liner (18 x 24 w/double row of hooks or 4 sets of hooks)
003000-000	LFBD-2 with liner (22 x 32 w/double row of hooks)
003009-000	L-1 liner (18 x 24)
003010-000	LL-1 liner (22 x 32)
003006-000	LLD-1 liner (22 x 32) CTR Ties
003007-000	LD-1 liner (12 x 24) CTR Ties
003008-000	LD-2 liner (18 x 24) CTR Ties
003019-000	Bracket for mounting Hand Rewind (on film bin)



SMALL FILM BIN (SFB-1)

003002-000



FILM BIN (FBD-1)

003001-000



VAULT RACK (VCR-4)

004429-006



ANGLE IRON RACK

001332-000



VAULT CANS(VCA-2,VCG-2)

012338-000

012338-412

RACKS, VAULT CAN 1000' cans

2000' cans

VCR - with Ext. Base (add 7" for base extension) 11½" Deep x 81½" High

004429-002	2-section	25" Wide	004429-008	33" W
004429-004	3-section	37 ¼" Wide	004429-009	49¼" W
004429-006	4-section	49 ½" Wide	004429-010	65½" W

VCRF - WITH FLUSH BASE

004429-001	2-section	25" Wide
004429-003	3-section	37 ¼" Wide
004429-005	4-section	49 ½" Wide

VAULT CANS

012338-000	VCA-2	11 x 11 x 1½	1000' RD
412	VCG-2	11 x 11 x 1½	
402	VCG-2000	15 x 15	2000' SQ
403	VCG-4000	21½ x 21½	

RACKS, ANGLE IRON

001339-000	16MM	5-tier
001340-000	16MM	6-tier
001341-000	16MM	7-tier
001332-000	35MM	5-tier
001333-000	35MM	6-tier
001334-000	35MM	7-tier

(Special Racks-Prices on Request)

Cases, Cores, and Reels

CASES, METAL SHIPPING

012346-001	2-reel	HFC	35MM	2000'
012346-002	3-reel	HFC	35MM	2000'
012346-003	4-reel	HFC	35MM	2000'

CASES, PLASTIC SHIPPING

000492-000	2-reel		35MM	2000'
000493-000	3-reel		35MM	2000'
000494-000	4-reel		35MM	2000'

CORES, PLASTIC

005071-000	16MM 2"	1000/Carton
005073-000	16MM 3"	560/Carton
005072-000	16MM 4"	300/Carton
005080-000	35MM 1"	2000/Carton
005081-000	35MM 2"	400/Carton
005083-000	35MM 3"	200/Carton
005084-000	35MM 4"	110/Carton
005075-000	35MM 5"	198/Carton

REELS, PLASTIC.35MM

000176-000	Plastic 35MM 2000'
023946-000	Plastic - Split 2000'
023946-001	Plastic - Split 2000' with 4" core
	Quantity Discounts Available

METAL REELS, 35MM


000173-000	Steel	35MM	1000'
005106-000	Aluminum	11 1/2"	with 5" Hub
000187-000	Aluminum	12 1/4"	with 5" Hub
005100-000	Aluminum	16 7/8"	with 5" Hub

REELS, 70MM

000197-000	22" S.A. 70MM reel with 8" core and 1/2" hub
000198-000	22" 70MM case
"SPECIAL"	22" sold as a set = reel and case
000013-018	25" S.A. 70MM reel with 7" core and 1/2" hub
000013-019	27" S.A. 70MM reel with 5" core and 1/2" hub
005109-000	29" S.A. 70MM reel with 5" core and 1/2" hub



HEAVY DUTY METAL & PLASTIC SHIPPING CASES



PLASTIC CORES TO SMPTE STANDARDS



HIGH IMPACT PLASTIC REELS



ALUMINUM 70MM REEL & CASES

000197-000 AND 000198-000

22" REEL AND CASE SET "SPECIAL"

Film Synchronizers

	Standard Foot Counter: #002377-000	High Speed Frame Counter #003213-000	
16mm	w/ Standard Foot Counter	w/ High Speed Frame Counter	
1 way	002183-001	002201-001	With Disconnect
2 way	002200-000		
3 way	001510-000		
4 way	002202.000		
35mm	w/ Standard Foot Counter	w/ High Speed Frame Counter	
1 way	002430-000	002430-001	
w/ 3 perf	002430-002		002157-002
w/encoder	003830-002		
2 way	002205-000	002162-000	
w/ 3 perf	002205-001	002206-002	
w/ encoder	003830-003		
3/ way	002206-000	002156-000	
w/ 3 perf	003830-006		
w/ encoder			
4/ way	002207-000		
w/ 3 perf	003830-007		
w/ encoder			
5/ way	002208-000		
65mm	w/ Standard Foot Counter		
2/ way	002194-000 theatrical		* ANY COMBI TO YOUR S
70mm	w/ Standard Foot Counter	w/ High Speed Frame Counter	
1/way;5 perf	002143--000 theatrical	002925-00	
w/ 8 perf			
w/ 15 perf		002925-00	
2/ way;5 perf			
2/way;15 perf			
3/ way;5 perf	002195-000		



PRECISION

* Combination Synchronizers *

old #	new #	Front Sprockets	Rear Sprockets	With Disconnect (GT)		Standard Counter (included)	High Speed Frame Counter	High Speed Foot/Frame Counter	
16MM FRONT SPROCKETS									
35MM REAR SPROCKETS									
2700-000	1548-000	1-16mm	1-35mm	~	~	front	~	~	
3830-000		1-16mm	1-35mm	~	w/ Encoder	none	~	~	
1550-000		1-16mm	2-35mm	~	~	front	~	~	
1554-000		2-16mm	1-35mm	~	~	front	~	~	
1555-000		2-16mm	2-35mm	~	~	front	~	~	
	2140-001	2-16mm GT	4-35mm	w/Disconnect	~	front	~	~	
35MM FRONT SPROCKETS									
16MM REAR SPROCKETS									
2700-001	1549-000	1-35mm	1-16mm	~	~	front	~	~	
2155-001		1-35mm GT	1-16mm	w/Disconnect	~	~	front	~	
1557-000	2197-000	2-35mm	2-16mm	w/Disconnect	2 counters	front & rear	~	~	
2197-001		2-35mm	2-16mm	w/Disconnect	~	~	~	front	
2165-000		3-35mm GT	2-16mm	w/Disconnect	~	front	~	~	
	2140-000	4-35mm GT	2-16mm	w/Disconnect	~	front	~	~	
65MM REAR SPROCKETS									
2193-001		1-35mm	1-65mm	~	~	front	~	~	
65/70MM REAR SPROCKETS									
2955-000		1-35mm	2-65/70mm 15perf	~	w/ Extended Shaft	front	~	~	
2955-001		1-35mm	2-65/70mm 8perf	~	w/ Extended Shaft	front	~	~	
70MM REAR SPROCKETS									
2193-003		1-35mm	1-70mm std. 5perf	~	~	front	~	~	
35/32MM FRONT SPROCKETS									
35MM REAR SPROCKETS									
2157-000		1-35/32mm	1-35mm	~	~	front	~	~	
65MM FRONT SPROCKETS									
35MM REAR SPROCKETS									
2193-000		1-65mm	1-35mm	~	~	front	~	~	
2192-000		1-65mm	2-35mm	~	~	front	~	~	
70MM FRONT SPROCKETS									
35MM REAR SPROCKETS									
2193-002		1-70mm std. 5perf	1-35mm	~	~	front	~	~	
2950-001		1-70mm 15prf GT	1-35mm	w/Disconnect	~	front	~	~	
2962-000		2-70mm std. 5perf	1-35mm	~	~	front	~	~	
2955-002		2-70mm 15perf	1-35mm	~	~	~	front	~	
2950-000		2-70mm 15prf GT	1-35mm	w/Disconnect	~	~	~	front	

Film Racks (and Separators)

RACKS WITH SEPARATORS

001320-000 RA-343L
Holds 400' 16mm reels or cans on top three tiers
and 600' thru 2000' 16mm reels or cans on the
bottom three tiers.

003892-000 RA-5L
Holds 180 16mm reels from 600' thru 2000'
on five tiers.

001322-000 RA-74
Crating Charge for all assembled racks

SEPARATORS ONLY, 3 FT. LENGTH

002526-000 RS-4-36 400' x 16MM

002956-001 RSL-36 1200' - 2000' x 16MM

002956-002 RS-435-36 400' x 35MM

002956-003 RSL-35-36 1000' - 2000' x 35MM


SEPARATORS ONLY, 4 FT. LENGTH

002957-000 RS-4-48

002957-001 RSL-48

002957-002 RS-435-48

002957-003 RSL-35-48



Rack with separators

001320-000

"HFC 2K" Ultrasonic Splicer

HFC "2K" ULTRASONIC SPLICER, 16MM, 35MM Equipment

023202-000	Splicer Ultrasonic Assembly (w/o pin registered plate)
023239-001	Bed Assembly 35MM Positive
023239-002	Bed Film 35MM Negative (.1870)
023239-003	Bed Film 35MM Negative (.1866)
023239-004	Bed Film 35/32, 16MM Positive (.3000 pitch)
023239-005	Bed Film 35/32, 16MM Negative (.2994 pitch)
023255-000	Optional Dog Ear Trimmer (installed at delivery)



THE "HFC 2K" ULTRASONIC SPLICER

023202-000 SPLICER ASSEMBLY

023239-001 35MM POSITIVE FILM BED

023255-000 DOG EAR TRIMMER (FACTORY INSTALLED)

Splicer (Unicorn)

HFC SPLICER, UNICORN

Equipment

002816-000 A-2816, 16MM - 60Hz
 002816-001 A-2816, 16MM - 50Hz
 002835-000 A-2835, 35MM - 60Hz
 002835-001 A-2835, 35MM - 50Hz

HFC SPLICING CUTTER


Equipment

003100-001 PSC-16 Pre-splice cutter - 16MM
 003100-002 PSC-35 Pre-splice cutter - 35MM
 003100-000 PSC-16/35 Pre-splice cutter - 16/35MM

TAPE FOR UNICORN SPLICERS


Parts

002033-000	Tape 1/2"	1-71 rolls	72 - up rolls	3M 8421
002034-000	Tape 1/2"	Unicorn	1 - 71 rolls	
002035-000	Tape 1"	1-71 rolls	72 - up rolls	3M 8421 mylar



PRE-SPLICE CUTTER

003100-002



002835-000


Tape Splicer (HFC), and Tape for HFC Splicer

HFC TAPE SPLICER

Equipment

001505-002 TS-1, 35MM Straight Cut

<u>TAPE, FOR SPLICERS</u>		<u>Parts</u>
		1 - 5 rolls
002020-000	Perf Tape 16MM Transparent #305	12 - up rolls
		1 - 5 rolls
002021-000	Perf Tape 16MM White Mag. #309	12 -up rolls
		1 - 5 rolls
002023-000	Perf Tape 35MM Transparent #309	12 - up rolls
		1 - 5 rolls
002024-000	Perf Tape 35MM White Mag. #309	12 - up rolls



TAPE SPLICER

001505-002

Guillotine Splicer, Repair Tape Splicer, and Tape for Repair Splicer

HFC, REPAIR TAPE SPLICER (GUILLOTINE)


Equipment

001853-000	16MM Straight Cut
001856-000	35MM Straight Cut - Positive
001855-000	35MM Straight Cut - Negative
001855-002	35MM Pos. Inc 44/B, 8 perf/2 frame special
001862-000	70MM Motion Picture

TAPE FOR REPAIR SPLICER

Parts

002227-000	Tape 3/8"	Transp.	Per Roll
002228-000	Tape 5/8"	Transp.	Per Roll
002230-000	Tape 5/8"	White	Per Roll
002231-000	Tape 3/4"	Transp.	Per Roll
002233-000	Tape 3/4"	White	Per Roll
002234-000	Tape 1"	Transp. 35MM	Per Roll
002236-000	Tape 1 1/2"	Transp.	Per Roll



REPAIR SPLICER (CIR-35P)

001856-000

HFC Hot Splicer and Accessories

HFC HOT SPLICERS

Equipment

000072-000	FS816, 16MM Splicer, Domestic
000072-001	FS816, 220v 50Hz
000073-000	FSC-1, 16/35, 35/32 Comb. Domestic
000073-001	FSC-1, 220v 50Hz
001525-000	FSC-1A, 16MM/35MM for A&B, Domestic
001525-001	FSC-1A, 220v 50Hz
Special	65/70MM Splicers, Special Order Only (call for further information)

For Hot Splicers

Parts

000313-000	Bottle Stopper Assy.
000326-000	Cement Bottle
000496-000	Adapter for new cement bottle
000198-000	Scraper blades, no radius
000198-001	Scraper blades, with radius



16/35 A & B HOT SPLICER TABLE MODEL (FSC-1)

001525-000

MPST Densitometer

MPST

Microprocessor-enhanced Transmission Densitometer

Equipped with Status A and M response filters and 2 Wratten visual filters. Complete with removable apertures, 25mm film guide with 8/16mm adapter bar, spare lamp and calibration tablet. Front panel push buttons and "magic" key control all functions including automatic filter selection and rotation; sequenced computation of color error and color balance against master aim point density values stored in memory; computation of film gamma; scan for maximum, minimum density and display of difference; null; expanded density to three places beyond decimal point; data entry master aim point densities into multiple memory locations RS232 included for interface of most hard copy printers or computers. Also includes S-9 infrared filter and special .012" x .170" (0.3mm x 4.0mm) slit aperture for reading density of sound track.

DENSITOMETER ACCESSORIES AND SPARE PARTS

300126-2 3mm aperture

300126-3 2mm aperture

300126-4 1mm aperture

ST0014 Calibrated transmission step tablet

900016-1 Transmission lamp (TL-5)
(all units except QC, BW-2)

AUTOMATIC FILM TRANSPORT

Accessory for Brumagic MP or MPST that automatically advances standard 21 step control wedge to next position for reading densities. Can be used with 35mm or 16mm film.



HFC Sensitometer Model 7000



FEATURES

- * TABLE TOP UNIT.
- * REPLACEABLE CARBON DEPOSITION WEDGE.
- * FILM NOTCHING FOR EASY DETECTION AND SEPARATION
- * UNIT AUTOMATICALLY STOPS WHEN DESIRED NUMBER OF STRIPS HAVE BEEN MADE.
- * FIVE AUXILIARY FILTER SLOTS PROVIDED.
- * INTERLOCKED TO ENSURE PROPER FILM THREADING AND TO STOP UNIT IN CASE OF FILM BREAK.
- * DIGITAL DISPLAY FOR READING LAMP VOLTAGE OR CURRENT.
- * CONTINUOUS GRAY AND 21- STEP WEDGE.

The HFC Model 7000 sensitometer provides the capability of producing high precision sensitometric film strips at speeds up to 30 pairs/minute. The table-top unit may print any film format, 16mm to 35mm, perforated or unperforated. The unit provides the feature of producing two calibrated wedges, a continuous gray wedge and a .21-step wedge, sequentially copied onto print stock each revolution of the print drum.

SPECIFICATIONS

SPEED:	LAMP COLOR TEMP.:	SIZE:
100 FEET/MIN.	AT 120 VOLTS - 3200K	APPROX. 40"Wx19"Dx17"H
FILM CAPACITY:	AT 100 VOLTS - 3000K	WEIGHT:
2000 FEET	LAMP POWER SUPPLY:	APPROX. 150LBS.
STRIP LENGTH:	120 VOLTS D.C. MAX.- ADJUSTABLE +/-0.1%	POWER REQUIREMENTS:
40.3 INCHES	EXPOSURE PERIOD VARIATION:	120 VAC, 60Hz (50 Hz OPTIONAL) 15 AMPS
LAMP TYPE:	LESS THAN 0.1%	CONTROLS:
TUNGSTEN-HALOGEN	EXPOSURE TIMES:	POWER SWITCH; ON/OFF
LAMP LIFE:	1/20 SEC. AT 60hz	MOTOR SWITCH; ON/OFF
APPROX. 700 HRS.	FILM FORMATS:	CURRENT/VOLTAGE SELECTOR SWITCH
LAMP OUTPUT:	35MM,(.866 & .1870 PITCH)	VOLTAGE ADJUSTMENT
20,000 LUMENS AT 120 VOLTS	35/32MM, 1-4(.2996 & .3000 PITCH)	LAMP SWITCH; ON/OFF



Film Services Division

Film Rejuvenation

Hollywood Film Company has over 25 years experience in rejuvenating motion picture film for the major studios.

After inspecting, grading, conforming, and repairing any damaged frames, your film is cleaned and the deepest of scratches removed in our environmentally friendly process.

For quality assurance each reel is screened using high-speed projection, then packaged and sealed for safe shipment to any foreign or domestic territory.

Distribution

- * North American distributor of Agfa motion picture and sound film.
- * All fulfillment services.
- * International shipping.

Film Storage

A highly secured, monitored, and climate-controlled atmosphere is the best protection for your film, and that is what we provide.

Each element in our care is registered in a protected database inventory control system with Internet access, assuring data retrieval at all times.

Our own vehicles can easily pick-up and deliver promptly and professionally.

Other Services

- * Trailer breakdown.
- * Mounting and packaging prints.

Hollywood Film Company - Film Services Division

10909 Tuxford Street,

Sun Valley, California 91352

Phone : (818)252-6777 Fax : (818)252-6770

E-Mail : Rejuv@HollywoodFilmCo.com